

# WENZHOU FEIHUA PRINTING MACHINERY CO.,LTD

Add: No. 460, Jinhai 1st Road, Binhai industry Longwan, Wenzhou, Zhejiang

Web: [www.newstar-machine.com](http://www.newstar-machine.com)/[www.newstar-machinery.com](http://www.newstar-machinery.com)

Tel: 86-577-86709268

Fax: 86-577-86709269

## Company Introduction

Wenzhou Feihua Printing Machinery Co., Ltd. has more than 20 years of experience in post-press equipment manufacturing, specializing in the production of laminating machines, comprehensive coating machines and pre-coating films. A professional company integrating scientific research, design, manufacturing, and service, with the business tenet of "professionalism, focus, innovation, and service", scientific management, and strive to meet customer requirements to the greatest extent



## Semi automatic Pre-coating film laminating machine YFMB-750B/950B



## 一、 Scope of adaptation:

YFMB series is a practical semi-automatic laminating machine launched by our company, which is suitable for posters, books, brochures, posters, color boxes, color box packaging, bags and other laminating process

## 二： Technical parameters

Mode	YFMB-750	YFMB-950
Max laminating size	720mm	920mm
Max laminating speed	0-30m/min	0-30m/min
Laminating temperature	≤130℃	≤130℃
Power	13kw	15kw
Total weight	1600kg	1800kg
Overall Dimensions	3400*1450*1500mm	3400*1650*1500mm

## 三： Equipment description and performance characteristics:

- 1.Using diameter 320mm large double diameter heating roll coating, to ensure the coating effect.。
- 2.Use heat transfer oil heating method to ensure uniform temperature and accurate temperature control.
- 3.Split structure, the main machine and the scuttling machine have space to make the operator easier to use and clean the machine.
- 4Automatic hydraulic pressure is used to ensure the lamination pressure is stable and reliable. Also makes operation easier
- 5.Using pneumatic pop-up slitting, you only need to enter the length of the paper to automatically slit.

6. Equipped with automatic edge pre-gauge device, combined paper feed is easy, unfamiliar workers can also feed paper.
7. The main electrical products are imported and made in Taiwan to ensure the stable operation of the machine.
8. A thin paper anti-curling device is provided to ensure that the finished product is not curled when the thin paper is covered.
9. The film unwinding uses an air-expanding shaft, which is easy to load and unload. The film unwinding uses pneumatic brakes, and the unwinding tension is stable.
10. It is equipped with a back-channel punching device to prevent the film from breaking after punching and before slitting, making the operation more stable.
11. Equipped with a corrugated paper device, the paper output is smoother and the paper delivery is smoother.

#### 四： Main configuration list

Accessory Name	Brand/Origin	Note
Main motor reducer	China Taiwan	
Automatic hydraulic station	China Shanghai	
Frequency converter	China Shenzhen	
Button	Germany	
Temperature Controller	Japan	
PLC	China Shenzhen	
Encoder	Japan	
touchscreen	China Shenzhen	
Servo reducer	China Zhejiang	
Relay	Japan	
Contactora	Germany	
Bearing	Japan	

Heating fittings	China Jangsu	
Rotary joint	China Quanzhou	
Glue roll	China Taizhou	

## 五： Product Details


<p>Automatic paper stacking positioning system Equipped with automatic paper stacking positioning system, the operation is simple and convenient.</p>	<p>Corrugated paper output system, vibration paper receiving system and other configurations are more convenient and tidy.</p>	<p>Pneumatic slitting system Pneumatic separation system can separate paper stably and quickly.</p>
		

## 六： After-sales service

1. After the machine passes the acceptance inspection, the customer's operators will be provided with skills training or on-site operation training. The training time is 1-2 days.
2. From the date of acceptance of this equipment, any major quality problems will be unconditionally returned within seven days, and any quality problems will be guaranteed to be repaired free of charge within one year, except for wearing parts and human factors. The cost of replacing spare parts due to failure or damage caused by irresistible natural phenomena shall be borne by the customer.
3. After receiving the customer's repair notification, we will conduct remote analysis and solve the problem and provide the customer

with a clear solution within 1 working day. Both parties can negotiate the time for after-sales service personnel to be in place, but our service personnel should arrive at the customer's designated service location within 48 hours.

4. After the warranty period, our company will still provide customers with spare parts at preferential prices. And provide customers with paid repair and maintenance services according to customer needs. The company has sales branches or offices in 28 provinces and cities across the country and in various countries around the world, which will greatly satisfy the sales and service capabilities of customers everywhere.



**CJ**

**SALES MANAGER**

TEL: +86 15868537095  
EMAIL: [CJ\\_NEWSTARMACHINE@OUTLOOK.COM](mailto:CJ_NEWSTARMACHINE@OUTLOOK.COM)  
FB:  
<https://www.facebook.com/profile.php?id=100090235654318>  
COMPANY ADD: NO. 460, Jinhai 1st Road, Binhai industry Longwan, Wenzhou, Zhejiang  
WEB:<https://www.newstar-machinery.com/>

newstarmachine-CJ(wojack)  
WhatsApp contact

